

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

Application No.: 10/035,709
Patent No.: 6,726,747
Applicant: François GRANIER
Filed: December 21, 2001
Title: METHODS AND APPARATUSES FOR TREATMENT OF
SYNGAS AND RELATED GASES
TC/A.U. 1724
Examiner: Duane Smith
Docket No.: Serie 5616
Customer No. 40582

**REQUEST FOR CERTIFICATE OF CORRECTION
UNDER 37 C.F.R. 1.322 and 1.323**

Commissioner for Patents
P.O. Box 1450
Alexandria, VA 22313-1450

Dear Sir:

1. Attached hereto is Form PTO 44.
2. It is noted that one (1) error appears in the published patent as a result of a printing by the Patent and Trademark Office due to a typing error by Applicant upon completion of the Issue Fee Statement.
3. The mistake is of such a nature that the meaning intended is not readily apparent from the context of the bibliographic data; the error is thus of consequence and a Certificate of Correction as enclosed herewith is proper and should be issued pursuant to the provisions of 37 C.F.R. § 1.322 and MPEP 1480.

4. Applicant again notes that there is an error as the result of the printing by the Patent and Trademark Office due to a typing error by Applicant. Therefore, Applicant hereby authorizes the Commissioner to charge Deposit Account 01-1375, the fee of **\$100.00**. The Commissioner is hereby authorized to charge any additional fees which may be required or credit any overpayment to Deposit Account 01-1375.

Respectfully submitted,


Elwood L. Haynes, Reg. No. 55,254

Date: **December 8, 2006**

Air Liquide
2700 Post Oak Boulevard, Suite 1800
Houston, Texas 77056
(713) 624-8954 Phone – (713) 624-8950 Fax

**UNITED STATES PATENT AND TRADEMARK OFFICE
CERTIFICATE OF CORRECTION**Page 1 of 1

PATENT NO. : 6,726,747

APPLICATION NO.: 10/035,709

ISSUE DATE : April 27, 2004

INVENTOR(S) : François GRANIER

It is certified that an error appears or errors appear in the above-identified patent and that said Letters Patent is hereby corrected as shown below:

In paragraph 73, page 1, replace the words "American Air Liquide, Fremont, CA (US)" with the words
--Air Liquide Process and Contstruction Inc., Houston, TX (US)--

MAILING ADDRESS OF SENDER (Please do not use customer number below):

Air Liquide
2700 Post Oak Blvd., Suite 1800
Houston, TX 77056

This collection of information is required by 37 CFR 1.322, 1.323, and 1.324. The information is required to obtain or retain a benefit by the public which is to file (and by the USPTO to process) an application. Confidentiality is governed by 35 U.S.C. 122 and 37 CFR 1.14. This collection is estimated to take 1.0 hour to complete, including gathering, preparing, and submitting the completed application form to the USPTO. Time will vary depending upon the individual case. Any comments on the amount of time you require to complete this form and/or suggestions for reducing this burden, should be sent to the Chief Information Officer, U.S. Patent and Trademark Office, U.S. Department of Commerce, P.O. Box 1450, Alexandria, VA 22313-1450. DO NOT SEND FEES OR COMPLETED FORMS TO THIS ADDRESS. **SEND TO: Attention Certificate of Corrections Branch, Commissioner for Patents, P.O. Box 1450, Alexandria, VA 22313-1450.**

If you need assistance in completing the form, call 1-800-PTO-9199 and select option 2.